

Hingtgen, Robert J

From: Jennifer Longabaugh <jLongabaugh@dudek.com>
Sent: Tuesday, September 09, 2014 4:41 PM
To: Boparai, Poonam
Cc: Gungle, Ashley; Asha Bleier; Josh Saunders
Subject: RE: Soitec Air Quality

Hi Poonam,

We just received all the information we need to complete the Soitec air quality memos that will disclose the revised emissions as a result of removal of trackers and the increase in off-site water demand. My plan is to have the emissions estimates as a result of these changes completed tomorrow along with the memos. Would you have any time on Thursday or Friday to meet to discuss these changes, along with the assumptions that went into the original draft EIR air quality analysis? Even though you already reviewed and approved the AQ and GHG reports for Soitec, County staff would like me to walk you through our assumptions and methodology that were applied to the DEIR, and how we accounted for the recent changes.

Thank you and it was great seeing you on Monday (and congratulations on your new little one!). I look forward to working with you more on these future projects.

Best,
Jennifer

Jennifer Longabaugh, AICP, LEED AP ND
T: (760) 479-4856 F: (760) 632-0164

-----Original Message-----

From: Boparai, Poonam [<mailto:Poonam.Boparai@sdcounty.ca.gov>]
Sent: Tuesday, August 19, 2014 5:23 PM
To: Jennifer Longabaugh; Gungle, Ashley
Subject: RE: Soitec Air Quality

Hello Jennifer,

I'm available to discuss this Friday afternoon.

Thanks,

-Poonam

From: Jennifer Longabaugh [jLongabaugh@dudek.com]
Sent: Tuesday, August 19, 2014 3:12 PM
To: Gungle, Ashley; Boparai, Poonam
Subject: RE: Soitec Air Quality

Thank you Ashley for getting us connected.

Poonam, I'm available at most times of the day Thurs and Fri this week. My only conflict is at noon on Thursday. Would either of those days work for you? I'm sure Ashley and other folks have filled you in, but they would just like me to walk you through the work that Dave Deckman and I prepared for the air quality technical reports and DEIR so you can confirm our methodology and approach. I'll also walk you through what we did to accommodate the new project changes and how we accounted for those changes in the emissions calculations.

Thanks,
Jennifer

Jennifer Longabaugh, AICP, LEED AP ND
T: (760) 479-4856 F: (760) 632-0164

From: Gungle, Ashley [<mailto:Ashley.Gungle@sdcounty.ca.gov>]
Sent: Tuesday, August 19, 2014 9:02 AM
To: Jennifer Longabaugh; Boparai, Poonam
Subject: Soitec Air Quality

Hi Jennifer and Poonam,

Per our meeting on Friday, I am emailing the two of you to get you in touch to set up a meeting to go over the additional information Jennifer is preparing. Poonam- can you please let Jennifer know your availability to sit down and go over this information or at least have a discussion by phone?

Thanks,

Ashley

Ashley Gungle
Land Use/ Environmental Planner

County of San Diego
Planning and Development Services
5510 Overland Avenue, 3rd Floor
San Diego, CA 92123
office: 858-495-5375
fax: 858-694-3373

"How to access Zoning Information "online"; Open website: <http://www.sdcounty.ca.gov/pds>; click on "Online Services", scroll down and click on "Find Maps" (GIS); scroll down and click on "Property Profile Map"; enter APN and click "Submit".

"How to access the Zoning Ordinance "online"; Open website: <http://www.sdcounty.ca.gov/pds>; click on "Zoning Ordinance", click Part Two for Use Regulations, etc.

Please consider the environment before printing this email. P